

CROP CONDITION & DEVELOPMENT STAGES


NOVEMBER, 15
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

SATELLITE IMAGE ANALYST

María Victoria Corte
mcorte@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through November 14, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

First Soybean

First Soybean Planted: as of November 14, 2018

Regions		November 15, 2017	November 7, 2018	November 14, 2018	2013/2018 Average
		%	%	%	%
I	NOA	-	-	0,1	-
II	NEA	-	-	-	1,5
III	Ctro N Cba	15,0	8,0	9,5	12,6
IV	S Cba	30,0	20,0	32,0	28,4
V	Ctro N SFe	15,0	5,0	6,3	14,4
VI	Núcleo Norte	85,0	23,0	60,0	53,0
VII	Núcleo Sur	52,0	25,0	64,0	51,0
VIII	Ctro E ER	40,0	9,0	28,0	32,6
IX	N LP-OBA	23,0	15,0	34,0	35,3
X	Ctro Bs As	15,0	20,0	28,0	34,4
XI	SO BA-S LP	12,0	1,0	1,0	14,2
XII	SE BA	11,0	3,0	15,0	17,8
XIII	San Luis	27,0	5,0	38,0	25,0
XIV	Cuenca Sal	30,0	7,0	18,0	33,6
XV	Others	40,0	3,0	23,0	25,8
National		33,5	13,7	31,4	29,6

First Soybean Condition: as of November 14, 2018

Regions		Very Poor	Poor	Fair	Good	Excellent
		%	%	%	%	%
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	2,0	16,0	43,0	39,0	-
VII	Núcleo Sur	-	-	54,0	46,0	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,8	8,3	62,9	27,9	-
Nat. Nov. 15, 2017		-	-	19,1	79,4	1,5

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of November 14, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	17,0	26,0	17,0	40,0
VI Núcleo Norte	-	-	56,0	14,0	30,0
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	-	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	-	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	-	0,9	53,4	27,6	18,1
Nat.Nov. 15, 2017	-	28,6	52,7	17,6	1,1

Soybean

Soybean Planted: as of November 14, 2018

Regions	November 15, 2017 %	November 7, 2018 %	November 14, 2018 %	2013/2018 Average %
I NOA	-	-	0,1	-
II NEA	-	-	-	1,2
III Ctro N Cba	10,6	5,9	7,0	10,3
IV S Cba	23,6	15,2	24,3	24,9
V Ctro N SFe	10,4	3,2	4,1	11,1
VI Núcleo Norte	62,0	15,8	41,2	44,1
VII Núcleo Sur	41,8	18,9	48,3	44,2
VIII Ctro E ER	33,0	7,1	22,1	28,5
IX N LP-OBA	17,9	11,3	25,7	27,8
X Ctro Bs As	6,2	10,5	14,6	23,9
XI SO BA-S LP	3,1	0,3	0,3	4,9
XII SE BA	5,8	1,3	6,7	10,0
XIII San Luis	25,9	4,7	35,9	24,3
XIV Cuenca Sal	5,0	2,5	6,3	21,1
XV Others	25,0	1,5	11,7	19,3
National	23,8	9,4	21,7	23,4

CROP CONDITION & DEVELOPMENT STAGES

Early Corn

Early Corn Planted: as of November 14, 2018

Regions		November 15, 2017 %	November 7, 2018 %	November 14, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	100,0	100,0	99,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	98,0	92,0	95,0	99,6
XI	SO BA-S LP	85,0	90,0	92,0	89,0
XII	SE BA	85,0	70,0	80,0	76,0
XIII	San Luis	100,0	100,0	100,0	87,2
XIV	Cuenca Sal	100,0	97,0	100,0	93,6
XV	Others	100,0	100,0	100,0	100,0
National		65,4	65,4	65,9	67,1

Early Corn Condition: as of November 14, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	9,0	54,0	31,0	6,0
IV	S Cba	-	7,5	53,0	33,5	6,0
V	Ctro N SFe	1,0	8,0	37,0	50,0	4,0
VI	Núcleo Norte	2,0	12,0	51,5	30,0	4,5
VII	Núcleo Sur	-	7,0	43,0	44,0	6,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	13,0	50,5	29,5	7,0
X	Ctro Bs As	15,0	22,0	36,5	19,5	7,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	15,0	52,5	31,5	1,0
XIII	San Luis	-	35,0	44,0	21,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		1,6	12,2	47,5	33,3	5,4
Nat. Nov. 15, 2017		-	3,8	11,4	70,2	14,6

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Moisture Condition: as of November 14, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	4,5	55,3	33,0	7,2
IV	S Cba	-	3,0	65,0	25,0	7,0
V	Ctro N SFe	-	8,2	23,1	22,6	46,1
VI	Núcleo Norte	-	-	27,0	25,0	48,0
VII	Núcleo Sur	-	-	35,0	42,0	23,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	6,0	49,0	26,5	18,5
X	Ctro Bs As	-	-	23,5	33,1	43,4
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	3,5	65,0	25,5	6,0
XIII	San Luis	-	32,0	53,0	15,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	3,0	38,5	29,9	28,6
Nat.Nov. 15, 2017		1,0	19,4	34,9	36,1	8,5

Early Corn Leaf Development: as of November 14, 2018

Regions		November 15, 2017 %	November 7, 2018 %	November 14, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	92,1	98,0	90,6
IV	S Cba	100,0	94,3	98,0	97,0
V	Ctro N SFe	100,0	100,0	100,0	98,0
VI	Núcleo Norte	100,0	98,4	100,0	98,0
VII	Núcleo Sur	100,0	95,7	100,0	97,8
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	95,0	91,0	96,0	94,8
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	100,0	82,1	100,0	75,4
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		63,2	58,2	61,5	63,1

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Pollination: as of November 14, 2018

Regions		November 15, 2017 %	November 7, 2018 %	November 14, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	-	-
IV	S Cba	8,3	-	-	1,7
V	Ctro N SFe	40,0	5,5	9,0	31,3
VI	Núcleo Norte	12,0	-	-	8,0
VII	Núcleo Sur	-	-	-	1,4
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		3,7	0,2	0,6	3,0

Corn

Corn Planted: as of November 14, 2018

Regions		November 15, 2017 %	November 7, 2018 %	November 14, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	15,0	15,0	15,0	13,2
IV	S Cba	20,0	20,0	20,0	28,0
V	Ctro N SFe	35,0	35,0	35,0	37,0
VI	Núcleo Norte	85,0	87,0	87,0	78,0
VII	Núcleo Sur	80,0	85,0	85,0	76,0
VIII	Ctro E ER	60,0	60,0	60,0	62,0
IX	N LP-OBA	50,0	50,0	50,0	53,0
X	Ctro Bs As	39,2	41,4	42,8	53,8
XI	SO BA-S LP	51,0	45,0	46,0	62,4
XII	SE BA	51,0	35,0	40,0	59,4
XIII	San Luis	20,0	20,0	20,0	19,5
XIV	Cuenca Sal	40,0	43,7	45,0	58,6
XV	Others	40,0	100,0	100,0	38,0
National		35,4	35,9	36,2	38,7

CROP CONDITION & DEVELOPMENT STAGES

Sunflower

Sunflower Planted: as of November 14, 2018

Regions		November 15, 2017 %	November 7, 2018 %	November 14, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	92,6
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	95,0	100,0	99,0
VIII	Ctro E ER	100,0	100,0	100,0	95,0
IX	N LP-OBA	80,0	75,0	85,0	88,4
X	Ctro Bs As	69,0	68,0	72,0	86,8
XI	SO BA-S LP	55,0	50,0	53,0	57,4
XII	SE BA	75,0	60,0	67,0	70,6
XIII	San Luis	100,0	80,0	100,0	81,6
XIV	Cuenca Sal	80,0	75,0	83,0	83,0
XV	Others	100,0	100,0	100,0	94,0
National		81,5	77,0	80,6	79,9

Sunflower Condition: as of November 14, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	12,0	26,0	37,0	25,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	7,0	19,0	25,0	31,0	18,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	6,0	38,0	43,0	13,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	53,0	37,0	10,0
XII	SE BA	-	3,0	62,0	28,0	7,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	17,0	30,0	38,0	15,0
XV	Others	-	-	-	-	-
National		1,4	9,9	37,6	35,2	15,9
Nat.Nov. 15, 2017		-	5,2	15,5	68,2	11,1

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Moisture Condition: as of November 14, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	29,0	53,0	18,0
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	9,0	16,0	29,0	46,0
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	58,0	33,0	9,0
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	3,0	56,0	41,0	-
XII SE BA	-	11,0	66,0	23,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	45,0	39,0	16,0
XV Others	-	-	-	-	-
National	-	4,9	40,3	37,4	17,4
Nat.Nov. 15, 2017	0,1	37,4	16,9	32,7	12,9

Sunflower Leaf Development: as of November 14, 2018

Regions	November 15, 2017 %	November 7, 2018 %	November 14, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	100,0	100,0	100,0	100,0
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	45,0	38,0	49,0	53,6
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	31,0	25,0	35,0	33,8
XII SE BA	37,0	32,0	45,0	35,6
XIII San Luis	-	-	-	-
XIV Cuenca Sal	66,7	46,0	58,0	56,9
XV Others	-	-	-	-
National	62,9	59,5	66,8	58,7

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Flowerbud Stage: as of November 14, 2018

Regions		November 15, 2017 %	November 7, 2018 %	November 14, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	90,0	88,0	95,0	91,6
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	75,0	58,0	79,0	76,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	2,8
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	6,8
XV	Others	-	-	-	-
National		31,4	30,0	35,1	26,8

Sunflower Flowering Stage: as of November 14, 2018

Regions		November 15, 2017 %	November 7, 2018 %	November 14, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	69,0	56,0	69,0	70,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	40,0	23,0	37,0	39,4
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		21,0	16,5	21,7	17,4

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Seed Development: as of November 14, 2018

Regions		November 15, 2017 %	November 7, 2018 %	November 14, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	22,0	30,0	36,0	34,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	-	-	4,0	0,6
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		4,8	6,9	8,9	6,1

Wheat

Wheat Condition: as of November 14, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	28,0	30,0	37,0	5,0	-
II	NEA	-	3,0	33,0	50,0	14,0
III	Ctro N Cba	-	27,0	46,0	24,0	3,0
IV	S Cba	7,0	41,0	34,0	11,0	7,0
V	Ctro N SFe	2,0	14,0	44,0	32,0	8,0
VI	Núcleo Norte	10,0	24,0	39,0	21,0	6,0
VII	Núcleo Sur	-	5,0	41,0	44,0	10,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	17,0	40,0	42,0	1,0
X	Ctro Bs As	-	7,0	22,0	51,0	20,0
XI	SO BA-S LP	-	5,0	32,0	52,0	11,0
XII	SE BA	-	10,0	29,0	44,0	17,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		2,8	16,4	37,3	35,1	8,5
Nat. Nov. 15, 2017		3,4	13,5	25,2	31,8	26,2

CROP CONDITION & DEVELOPMENT STAGES

Wheat Moisture Condition: as of November 14, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	5,0	32,0	30,0	33,0
II NEA	-	7,0	62,0	31,0	-
III Ctro N Cba	-	42,0	40,0	18,0	-
IV S Cba	17,0	36,0	32,0	15,0	-
V Ctro N SFe	-	37,0	45,0	18,0	-
VI Núcleo Norte	-	35,0	48,0	17,0	-
VII Núcleo Sur	-	18,0	56,0	26,0	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	15,0	50,0	35,0	-
X Ctro Bs As	-	-	47,0	45,0	8,0
XI SO BA-S LP	3,0	19,0	44,0	34,0	-
XII SE BA	-	25,0	53,0	22,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	2,4	26,6	45,9	23,9	1,2
Nat.Nov. 15, 2017	1,8	8,9	40,3	33,0	16,1

Wheat Steam Extension: as of November 14, 2018

Regions	November 15, 2017 %	November 7, 2018 %	November 14, 2018 %	2013/2018 Average %
I NOA	100,0	100,0	100,0	100,0
II NEA	100,0	100,0	100,0	100,0
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	97,0	97,0	100,0	99,4
XI SO BA-S LP	79,0	95,0	100,0	92,2
XII SE BA	74,0	100,0	100,0	91,8
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	95,0	99,4	100,0	98,0

CROP CONDITION & DEVELOPMENT STAGES

Wheat Heading: as of November 14, 2018

Regions		November 15, 2017	November 7, 2018	November 14, 2018	2013/2018 Average
		%	%	%	%
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	75,0	98,0	100,0	88,8
V	Ctro N SFe	100,0	96,0	100,0	100,0
VI	Núcleo Norte	88,0	100,0	100,0	94,4
VII	Núcleo Sur	75,0	85,0	100,0	91,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	65,0	61,0	77,0	88,0
X	Ctro Bs As	57,0	65,0	78,0	77,2
XI	SO BA-S LP	51,0	54,0	69,0	75,8
XII	SE BA	45,0	57,0	71,0	70,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		78,2	84,2	91,1	88,8

Wheat Ripening: as of November 14, 2018

Regions		November 15, 2017	November 7, 2018	November 14, 2018	2013/2018 Average
		%	%	%	%
I	NOA	97,0	100,0	100,0	96,6
II	NEA	82,0	84,0	100,0	90,4
III	Ctro N Cba	61,0	46,0	61,0	69,2
IV	S Cba	25,0	35,0	49,0	46,2
V	Ctro N SFe	80,0	48,0	62,0	82,0
VI	Núcleo Norte	55,0	35,0	49,0	65,8
VII	Núcleo Sur	29,0	19,0	36,0	42,2
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	4,0	27,2
X	Ctro Bs As	-	-	6,0	19,4
XI	SO BA-S LP	7,0	-	2,0	25,0
XII	SE BA	-	-	4,0	20,4
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		39,9	32,3	42,5	50,1

CROP CONDITION & DEVELOPMENT STAGES

Wheat Mature: as of November 14, 2018

Regions		November 15, 2017	November 7, 2018	November 14, 2018	2013/2018 Average
		%	%	%	%
I	NOA	76,0	71,0	86,0	76,4
II	NEA	55,0	57,0	75,0	73,8
III	Ctro N Cba	17,0	8,0	25,0	32,4
IV	S Cba	-	13,0	24,0	19,4
V	Ctro N SFe	28,0	22,0	37,0	45,2
VI	Núcleo Norte	12,0	-	9,0	26,0
VII	Núcleo Sur	-	-	8,0	10,8
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	10,4
X	Ctro Bs As	-	-	-	6,6
XI	SO BA-S LP	-	-	-	6,0
XII	SE BA	-	-	-	5,2
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		14,6	12,6	21,3	23,6