

CROP CONDITION & DEVELOPMENT STAGES


MAY, 23
2019



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Soybean

Matías Mihura
mmihura@bc.org.ar
Corn

Juan F. De Aramburu
jdearamburu@bc.org.ar
Wheat and Sunflower

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through May 22, 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

First Soybean

First Soybean Condition: as of May 22, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	41,0	46,0	13,0
II NEA	16,0	33,0	30,0	21,0	-
III Ctro N Cba	-	17,0	31,0	28,0	24,0
IV S Cba	-	20,0	34,0	31,0	15,0
V Ctro N SFe	6,0	16,0	48,0	27,0	3,0
VI Núcleo Norte	14,0	23,0	31,0	32,0	-
VII Núcleo Sur	-	21,0	41,0	36,0	2,0
VIII Ctro E ER	-	27,0	44,0	28,0	1,0
IX N LP-OBA	-	19,0	54,0	25,0	2,0
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	2,0	10,0	50,0	35,0	3,0
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	8,5	21,7	36,4	28,4	4,9
Nat.May 23, 2018	46,3	26,9	21,3	5,6	-

First Soybean Moisture Condition: as of May 22, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	42,0	55,0	3,0
II NEA	-	-	11,0	32,0	57,0
III Ctro N Cba	4,0	9,0	49,0	38,0	-
IV S Cba	15,0	17,0	38,0	30,0	-
V Ctro N SFe	-	3,0	23,0	46,0	28,0
VI Núcleo Norte	-	6,0	51,0	31,0	12,0
VII Núcleo Sur	-	20,0	56,0	24,0	-
VIII Ctro E ER	-	10,0	40,0	26,0	24,0
IX N LP-OBA	8,0	11,0	42,0	39,0	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	5,0	28,0	42,0	25,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	1,1	3,9	26,2	37,5	31,3
Nat.May 23, 2018	0,4	13,5	50,4	23,1	12,6

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Harvested: as of May 22, 2019

Regions		May 23, 2018 %	May 15, 2019 %	May 22, 2019 %	2013/2018 Average %
I	NOA	75,3	47,0	60,0	50,3
II	NEA	73,8	15,0	17,5	58,0
III	Ctro N Cba	100,0	93,0	95,0	92,2
IV	S Cba	95,0	97,0	98,0	84,5
V	Ctro N SFe	93,0	80,0	87,1	83,6
VI	Núcleo Norte	100,0	98,0	99,5	96,5
VII	Núcleo Sur	92,8	97,9	99,5	93,7
VIII	Ctro E ER	87,8	81,0	94,2	91,2
IX	N LP-OBA	89,5	94,0	98,0	82,3
X	Ctro Bs As	48,0	92,0	97,0	69,7
XI	SO BA-S LP	61,6	83,0	86,4	63,1
XII	SE BA	28,5	87,0	92,8	54,1
XIII	San Luis	85,0	70,0	90,0	86,2
XIV	Cuenca Sal	55,0	92,0	100,0	75,8
XV	Others	80,0	75,0	95,0	82,0
National		87,7	85,7	90,1	82,9

Second Soybean

Second Soybean Condition: as of May 22, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	12,0	43,0	37,0	8,0
II	NEA	26,0	20,0	33,0	21,0	-
III	Ctro N Cba	3,0	21,0	19,0	43,0	14,0
IV	S Cba	-	13,0	43,0	38,0	6,0
V	Ctro N SFe	-	16,0	44,0	37,0	3,0
VI	Núcleo Norte	-	26,0	37,0	32,0	5,0
VII	Núcleo Sur	2,0	6,0	47,0	40,0	5,0
VIII	Ctro E ER	-	13,0	44,0	40,0	3,0
IX	N LP-OBA	-	2,0	51,0	33,0	14,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	11,0	45,0	39,0	5,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		4,9	14,2	41,6	34,3	5,1
Nat. May 23, 2018		69,5	18,9	9,3	2,2	0,1

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Moisture Condition: as of May 22, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	38,0	52,0	10,0
II NEA	-	-	11,0	38,0	51,0
III Ctro N Cba	-	6,0	40,0	46,0	8,0
IV S Cba	-	13,0	54,0	33,0	-
V Ctro N SFe	-	-	26,0	55,0	19,0
VI Núcleo Norte	-	6,0	40,0	43,0	11,0
VII Núcleo Sur	-	22,0	39,0	39,0	-
VIII Ctro E ER	-	5,0	38,0	36,0	21,0
IX N LP-OBA	-	6,0	46,0	48,0	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	14,0	46,0	40,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	-	9,5	38,6	40,5	11,4
Nat.May 23, 2018	0,3	12,9	52,5	23,3	11,0

Second Soybean Mature: as of May 22, 2019

Regions	May 23, 2018 %	May 15, 2019 %	May 22, 2019 %	2013/2018 Average %
I NOA	85,0	100,0	100,0	95,8
II NEA	85,0	95,0	100,0	96,2
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	99,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	93,0	92,0	100,0	96,8
IX N LP-OBA	90,0	100,0	100,0	100,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	82,0	80,0	93,0	89,2
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	93,2	95,3	98,8	96,8

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Harvested: as of May 22, 2019

Regions		May 23, 2018 %	May 15, 2019 %	May 22, 2019 %	2013/2018 Average %
I	NOA	67,0	29,0	80,0	36,8
II	NEA	60,0	15,0	17,0	46,2
III	Ctro N Cba	87,0	70,0	89,4	85,6
IV	S Cba	94,0	70,0	87,5	80,4
V	Ctro N SFe	67,0	38,0	75,0	74,5
VI	Núcleo Norte	90,0	96,5	98,0	91,2
VII	Núcleo Sur	58,0	78,5	87,0	75,5
VIII	Ctro E ER	55,0	48,0	68,0	76,8
IX	N LP-OBA	55,0	63,0	68,5	55,6
X	Ctro Bs As	20,0	47,0	58,0	44,8
XI	SO BA-S LP	-	30,0	60,0	32,2
XII	SE BA	5,0	22,0	40,0	17,9
XIII	San Luis	25,0	30,0	80,0	47,0
XIV	Cuenca Sal	30,0	27,0	85,0	44,6
XV	Others	30,0	50,0	85,0	42,0
National		59,1	55,8	73,3	58,9

Soybean

Soybean Condition: as of May 22, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	2,5	41,4	44,2	12,0
II	NEA	18,8	29,4	30,8	21,0	-
III	Ctro N Cba	1,3	18,7	25,8	34,5	19,7
IV	S Cba	-	15,4	40,0	35,6	9,0
V	Ctro N SFe	3,1	16,0	46,0	31,9	3,0
VI	Núcleo Norte	5,0	24,9	34,9	32,0	3,2
VII	Núcleo Sur	1,8	7,6	46,3	39,6	4,7
VIII	Ctro E ER	-	18,7	44,0	35,1	2,2
IX	N LP-OBA	-	4,8	51,5	31,7	12,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	2,0	10,0	50,0	35,0	3,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		6,9	16,8	40,2	31,0	4,7
Nat. May 23, 2018		59,6	22,3	14,4	3,7	0,1

CROP CONDITION & DEVELOPMENT STAGES

Soybean Moisture Condition: as of May 22, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	41,2	54,4	4,4
II	NEA	-	-	11,0	33,7	55,3
III	Ctro N Cba	2,3	7,7	45,1	41,4	3,4
IV	S Cba	5,1	14,4	48,6	32,0	-
V	Ctro N SFe	-	1,5	24,5	50,4	23,6
VI	Núcleo Norte	-	6,0	43,9	38,7	11,4
VII	Núcleo Sur	-	21,8	40,8	37,4	-
VIII	Ctro E ER	-	7,1	38,8	31,9	22,2
IX	N LP-OBA	1,3	6,8	45,3	46,5	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	5,0	28,0	42,0	25,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		1,7	8,8	31,6	36,9	20,5
Nat.May 23, 2018		0,4	13,1	51,6	23,2	11,7

Soybean Mature: as of May 22, 2019

Regions		May 23, 2018 %	May 15, 2019 %	May 22, 2019 %	2013/2018 Average %
I	NOA	94,6	100,0	100,0	97,7
II	NEA	88,4	98,6	100,0	88,7
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	99,9
V	Ctro N SFe	100,0	100,0	100,0	99,7
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	98,8	98,3	100,0	99,3
IX	N LP-OBA	97,8	100,0	100,0	100,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	91,6	89,0	96,1	93,5
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		97,6	98,6	99,6	98,2

CROP CONDITION & DEVELOPMENT STAGES

Soybean Harvested: as of May 22, 2019

Regions		May 23, 2018 %	May 15, 2019 %	May 22, 2019 %	2013/2018 Average %
I	NOA	72,3	40,8	66,8	48,1
II	NEA	69,4	15,0	17,4	55,2
III	Ctro N Cba	96,5	86,9	93,5	90,8
IV	S Cba	94,8	90,5	95,5	83,8
V	Ctro N SFe	85,8	65,9	83,1	81,3
VI	Núcleo Norte	97,7	97,5	99,0	95,6
VII	Núcleo Sur	86,8	93,2	96,5	91,0
VIII	Ctro E ER	83,5	74,2	88,8	89,2
IX	N LP-OBA	83,2	86,4	90,8	76,7
X	Ctro Bs As	34,8	70,6	78,6	61,4
XI	SO BA-S LP	19,3	46,2	68,2	44,0
XII	SE BA	17,8	51,2	63,8	38,6
XIII	San Luis	82,5	67,8	89,5	85,1
XIV	Cuenca Sal	34,6	49,8	90,3	64,2
XV	Others	61,3	62,6	90,0	72,5
National		80,3	76,7	85,0	77,8

Early Corn

Early Corn Condition: as of May 22, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	5,0	44,0	40,0	11,0
II	NEA	10,0	28,0	34,0	25,0	1,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	35,0	44,0	21,0
X	Ctro Bs As	-	-	45,0	44,0	11,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	3,0	36,0	49,0	12,0
XIII	San Luis	-	5,0	48,0	44,0	3,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		2,6	15,8	39,2	35,3	7,1
Nat. May 23, 2018		19,5	28,1	31,3	17,8	3,3

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Moisture Condition: as of May 22, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	40,0	58,0	2,0
II	NEA	-	-	23,0	26,0	51,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	1,0	24,0	75,0	-
X	Ctro Bs As	-	-	32,0	68,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	14,0	46,0	40,0	-
XIII	San Luis	-	-	45,0	55,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	1,0	30,9	40,5	27,6
Nat. May 23, 2018		3,9	31,8	41,4	10,2	12,7

Early Corn Grain Growth: as of May 22, 2019

Regions		May 23, 2018 %	May 15, 2019 %	May 22, 2019 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	98,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		100,0	99,6	100,0	100,0

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Mature: as of May 22, 2019

Regions		May 23, 2018 %	May 15, 2019 %	May 22, 2019 %	2013/2018 Average %
I	NOA	89,1	70,0	85,0	87,4
II	NEA	84,3	61,0	80,0	91,2
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		95,4	88,1	94,0	98,5

Early Corn Harvested: as of May 22, 2019

Regions		May 23, 2018 %	May 15, 2019 %	May 22, 2019 %	2013/2018 Average %
I	NOA	-	-	-	6,0
II	NEA	-	-	-	8,8
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	97,0	100,0	98,8
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	99,8
VII	Núcleo Sur	100,0	98,0	100,0	97,8
VIII	Ctro E ER	100,0	100,0	100,0	99,9
IX	N LP-OBA	87,0	82,0	87,0	80,6
X	Ctro Bs As	65,0	80,0	88,0	68,0
XI	SO BA-S LP	49,0	65,0	77,0	53,6
XII	SE BA	47,0	52,0	56,0	37,6
XIII	San Luis	100,0	98,0	100,0	80,6
XIV	Cuenca Sal	85,0	63,0	70,0	78,3
XV	Others	100,0	62,0	65,0	100,0
National		58,9	60,3	62,2	75,0

CROP CONDITION & DEVELOPMENT STAGES

Late Corn

Late Corn Condition: as of May 22, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	40,0	45,0	15,0
IV	S Cba	-	-	44,0	41,0	15,0
V	Ctro N SFe	-	1,0	47,0	42,0	10,0
VI	Núcleo Norte	-	3,0	39,0	42,0	16,0
VII	Núcleo Sur	-	-	47,0	41,0	12,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	44,0	42,0	14,0
X	Ctro Bs As	-	-	46,0	44,0	10,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	7,0	45,0	41,0	7,0
XIII	San Luis	-	-	70,0	25,0	5,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	0,9	45,9	41,0	12,2
Nat.May 23, 2018		39,1	31,1	23,2	6,6	0,1

Late Corn Moisture Condition: as of May 22, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	52,0	46,0	2,0
IV	S Cba	-	3,0	35,0	62,0	-
V	Ctro N SFe	-	-	22,0	75,0	3,0
VI	Núcleo Norte	-	-	30,0	68,0	2,0
VII	Núcleo Sur	-	2,0	44,0	51,0	3,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	3,0	38,0	59,0	-
X	Ctro Bs As	-	-	31,0	69,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	10,0	49,0	41,0	-
XIII	San Luis	-	45,0	40,0	15,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	5,2	40,7	52,9	1,3
Nat.May 23, 2018		0,1	35,8	47,7	11,5	4,8

CROP CONDITION & DEVELOPMENT STAGES

Late Corn Mature: as of May 22, 2019

Regions		May 23, 2018 %	May 15, 2019 %	May 22, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	90,0	95,0	95,6
IV	S Cba	100,0	95,0	98,0	97,8
V	Ctro N SFe	82,9	65,0	78,0	75,0
VI	Núcleo Norte	95,4	75,0	85,0	77,8
VII	Núcleo Sur	100,0	85,0	92,0	87,5
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	91,0	95,0	95,0
X	Ctro Bs As	100,0	90,0	94,0	95,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	88,3	65,0	75,0	70,0
XIII	San Luis	94,0	74,0	80,0	80,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		97,9	87,0	92,3	91,9

Corn

Corn Condition: as of May 22, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	5,0	44,0	40,0	11,0
II	NEA	10,0	28,0	34,0	25,0	1,0
III	Ctro N Cba	-	-	40,0	45,0	15,0
IV	S Cba	-	-	44,0	41,0	15,0
V	Ctro N SFe	-	1,0	47,0	42,0	10,0
VI	Núcleo Norte	-	3,0	39,0	42,0	16,0
VII	Núcleo Sur	-	-	47,0	41,0	12,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	42,9	42,2	14,9
X	Ctro Bs As	-	-	45,9	44,0	10,1
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	5,8	42,3	43,4	8,5
XIII	San Luis	-	-	70,0	25,0	5,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,9	5,7	43,7	39,1	10,6
Nat. May 23, 2018		32,5	30,1	25,9	10,4	1,2

CROP CONDITION & DEVELOPMENT STAGES

Corn Moisture Condition: as of May 22, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	40,0	58,0	2,0
II	NEA	-	-	23,0	26,0	51,0
III	Ctro N Cba	-	-	52,0	46,0	2,0
IV	S Cba	-	3,0	35,0	62,0	-
V	Ctro N SFe	-	-	22,0	75,0	3,0
VI	Núcleo Norte	-	-	30,0	68,0	2,0
VII	Núcleo Sur	-	2,0	44,0	51,0	3,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	2,8	36,3	61,0	-
X	Ctro Bs As	-	-	31,1	68,9	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	11,2	48,1	40,7	-
XIII	San Luis	-	45,0	40,0	15,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	3,8	37,6	48,9	9,7
Nat.May 23, 2018		1,4	34,4	45,6	11,1	7,5

Corn Grain Growth: as of May 22, 2019

Regions		May 23, 2018 %	May 15, 2019 %	May 22, 2019 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	98,9	98,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		99,9	99,8	100,0	100,0

CROP CONDITION & DEVELOPMENT STAGES

Corn Mature: as of May 22, 2019

Regions		May 23, 2018 %	May 15, 2019 %	May 22, 2019 %	2013/2018 Average %
I	NOA	71,2	70,0	85,0	87,4
II	NEA	62,7	61,0	80,0	91,2
III	Ctro N Cba	96,7	91,5	95,8	96,2
IV	S Cba	98,7	96,0	98,4	98,4
V	Ctro N SFe	78,9	77,3	85,7	84,9
VI	Núcleo Norte	97,6	96,8	98,1	95,5
VII	Núcleo Sur	98,4	97,8	98,8	97,3
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	96,4	95,5	97,5	97,4
X	Ctro Bs As	95,0	94,5	96,7	98,1
XI	SO BA-S LP	-	-	-	-
XII	SE BA	89,2	82,5	87,5	95,0
XIII	San Luis	91,0	79,2	84,0	85,6
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		90,3	87,9	93,3	94,9

Corn Harvested: as of May 22, 2019

Regions		May 23, 2018 %	May 15, 2019 %	May 22, 2019 %	2013/2018 Average %
I	NOA	-	-	-	6,0
II	NEA	-	-	-	8,8
III	Ctro N Cba	22,1	17,2	20,2	17,7
IV	S Cba	29,4	20,5	23,9	31,2
V	Ctro N SFe	45,7	33,7	33,7	41,1
VI	Núcleo Norte	86,0	88,4	88,8	79,2
VII	Núcleo Sur	80,9	85,0	86,8	74,2
VIII	Ctro E ER	66,7	58,6	58,6	69,8
IX	N LP-OBA	42,5	43,0	48,0	40,8
X	Ctro Bs As	25,4	35,3	38,9	41,4
XI	SO BA-S LP	28,9	32,1	37,9	38,8
XII	SE BA	27,8	25,7	27,6	31,1
XIII	San Luis	18,8	19,2	19,6	23,7
XIV	Cuenca Sal	33,2	27,9	30,9	56,7
XV	Others	47,4	62,0	65,0	37,3
National		34,9	34,0	36,1	37,2



CROP CONDITION & DEVELOPMENT STAGES