

# CROP CONDITION & DEVELOPMENT STAGES

---


APRIL, 26  
2018



**BUENOS AIRES GRAIN EXCHANGE**  
DEPARTMENT OF AGRICULTURAL  
ESTIMATES

ISSN 2591-4715

# DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

## HEAD OF DEPARTMENT

Esteban J Copati  
[ecopati@bc.org.ar](mailto:ecopati@bc.org.ar)

## CROP ANALYST

Martin López  
[martinlopez@bc.org.ar](mailto:martinlopez@bc.org.ar)

## COORDINATOR

Gonzalo Hermida  
[ghermida@bc.org.ar](mailto:ghermida@bc.org.ar)

## SATELLITE IMAGES ANALYST

María Victoria Corte  
[mcorte@bc.org.ar](mailto:mcorte@bc.org.ar)

## CROP CONDITION ANALYST

Daniela A. Venturino  
[dventurino@bc.org.ar](mailto:dventurino@bc.org.ar)  
Wheat & Sunflower

Santiago Burrone  
[sburrone@bc.org.ar](mailto:sburrone@bc.org.ar)  
Corn

Ayelén Gago  
[amgago@bc.org.ar](mailto:amgago@bc.org.ar)  
Soybean

## CONTACT

Av. Corrientes 123  
C1043AAB - CABA  
Phone: +54 11 4515 8200 | 8300  
[estimacionesagricolas@bc.org.ar](mailto:estimacionesagricolas@bc.org.ar)  
Twitter: @estimacionesbc

ISSN 2591-4715

# CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through April 25, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

## Sunflower


### Sunflower Mature: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	100,0	100,0	100,0	100,0
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	100,0	100,0	100,0	100,0
XV	Others	-	-	-	-
<b>National</b>		<b>100,0</b>	<b>100,0</b>	<b>100,0</b>	<b>100,0</b>

### Sunflower Harvested: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	100,0	95,0	100,0	100,0
XII	SE BA	100,0	92,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	100,0	100,0	100,0	100,0
XV	Others	100,0	100,0	100,0	100,0
<b>National</b>		<b>100,0</b>	<b>97,1</b>	<b>100,0</b>	<b>100,0</b>

# CROP CONDITION & DEVELOPMENT STAGES



## Early Corn

Early Corn Condition: as of April 25, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	23,1	29,1	33,5	12,4	1,9
II NEA	29,7	33,7	20,1	13,5	3,0
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	-	-	-	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	30,1	29,7	32,9	7,3	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	27,5	30,0	34,8	7,5	0,2
X Ctro Bs As	42,5	24,5	22,2	10,8	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	19,5	36,3	29,5	13,9	0,8
XIII San Luis	15,6	28,5	37,5	17,6	0,8
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
<b>National</b>	<b>28,6</b>	<b>31,0</b>	<b>26,0</b>	<b>12,3</b>	<b>2,1</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Moisture Condition: as of April 25, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	45,6	42,4	12,0	-	-
II	NEA	49,8	37,5	12,7	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	1,0	26,7	59,6	12,7	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	35,9	48,7	15,4	-	-
X	Ctro Bs As	24,9	45,6	25,0	4,5	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	15,4	55,5	22,4	6,7	-
XIII	San Luis	22,6	51,7	24,5	1,2	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>42,0</b>	<b>41,2</b>	<b>15,7</b>	<b>1,2</b>	<b>-</b>

## Early Corn Grain Growth: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	98,0	64,1	79,9	85,0
II	NEA	87,5	65,1	81,3	82,5
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>98,1</b>	<b>88,2</b>	<b>93,6</b>	<b>97,6</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Mature: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	42,9	15,3	28,4	32,0
II	NEA	35,3	13,7	30,1	34,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	92,8	100,0	100,0	88,6
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>85,9</b>	<b>71,4</b>	<b>76,4</b>	<b>89,8</b>

## Early Corn Harvested: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	-	-	-	1,0
II	NEA	-	-	-	8,0
III	Ctro N Cba	90,0	90,0	100,0	85,3
IV	S Cba	70,0	74,0	100,0	75,1
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	88,0	97,0	100,0	86,4
VII	Núcleo Sur	80,0	61,0	94,0	81,2
VIII	Ctro E ER	100,0	99,0	100,0	99,7
IX	N LP-OBA	45,0	50,0	72,0	49,3
X	Ctro Bs As	45,0	25,0	42,0	42,2
XI	SO BA-S LP	10,0	10,0	35,0	18,2
XII	SE BA	15,0	7,0	30,0	9,4
XIII	San Luis	70,0	55,0	93,0	48,0
XIV	Cuenca Sal	60,0	40,0	55,0	50,9
XV	Others	100,0	100,0	100,0	100,0
<b>National</b>		<b>52,5</b>	<b>51,7</b>	<b>54,2</b>	<b>57,8</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Late Corn

### Late Corn Condition: as of April 25, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	59,7	25,4	12,7	2,2	-
IV	S Cba	62,7	21,4	13,1	2,8	-
V	Ctro N SFe	75,5	14,5	8,1	1,9	-
VI	Núcleo Norte	70,8	18,2	9,5	1,5	-
VII	Núcleo Sur	55,8	28,8	12,3	3,1	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	34,4	49,5	13,4	2,7	-
X	Ctro Bs As	59,7	28,5	8,7	3,1	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	26,6	26,5	35,4	11,5	-
XIII	San Luis	23,1	40,3	27,1	9,5	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>54,2</b>	<b>27,8</b>	<b>14,2</b>	<b>3,7</b>	<b>-</b>

### Late Corn Moisture Condition: as of April 25, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	49,7	38,5	11,8	-	-
IV	S Cba	32,6	51,4	15,2	0,8	-
V	Ctro N SFe	1,5	56,7	35,5	6,3	-
VI	Núcleo Norte	6,2	58,6	33,0	2,2	-
VII	Núcleo Sur	1,1	43,3	46,3	9,3	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	38,4	49,7	11,9	-	-
X	Ctro Bs As	11,7	59,5	22,5	6,3	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	11,1	61,9	25,0	2,0	-
XIII	San Luis	32,8	45,1	20,8	1,3	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>30,9</b>	<b>48,4</b>	<b>18,8</b>	<b>1,9</b>	<b>-</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Late Corn Grain Growth: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	100,0	100,0	92,2
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	98,0	78,1	84,1	86,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>99,9</b>	<b>98,6</b>	<b>99,1</b>	<b>96,7</b>

## Late Corn Mature: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	48,3	40,8	58,4	38,9
IV	S Cba	63,2	42,5	65,3	62,6
V	Ctro N SFe	15,0	10,3	19,5	14,7
VI	Núcleo Norte	44,4	34,5	45,2	42,8
VII	Núcleo Sur	61,8	43,3	63,3	50,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	55,6	51,2	60,5	58,7
X	Ctro Bs As	57,5	44,5	62,3	51,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	43,0	28,3	45,5	35,0
XIII	San Luis	44,2	49,1	55,1	46,7
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>51,5</b>	<b>40,9</b>	<b>57,3</b>	<b>47,9</b>



# CROP CONDITION & DEVELOPMENT STAGES

## Late Corn Harvested: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	4,0	5,0	1,0
IV	S Cba	-	7,0	8,0	0,1
V	Ctro N SFe	-	9,0	10,0	-
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	0,6
VIII	Ctro E ER	-	10,0	11,0	6,0
IX	N LP-OBA	-	-	-	0,3
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	1,8
<b>National</b>		<b>-</b>	<b>3,4</b>	<b>4,0</b>	<b>0,5</b>

## Corn

## Corn Condition: as of April 25, 2018

♀	Very Poor %	Poor %	Fair %	Good %	Excellent %	
I	NOA	23,1	29,1	33,5	12,4	1,9
II	NEA	29,7	33,7	20,1	13,5	3,0
III	Ctro N Cba	59,7	25,4	12,7	2,2	-
IV	S Cba	62,7	21,4	13,1	2,8	-
V	Ctro N SFe	75,5	14,5	8,1	1,9	-
VI	Núcleo Norte	70,8	18,2	9,5	1,5	-
VII	Núcleo Sur	48,8	29,0	17,9	4,3	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	32,8	45,0	18,3	3,8	0,0
X	Ctro Bs As	54,8	27,4	12,5	5,3	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	22,9	31,5	32,4	12,7	0,4
XIII	San Luis	22,8	39,9	27,5	9,8	0,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>	<b>45,0</b>	<b>28,9</b>	<b>18,5</b>	<b>6,8</b>	<b>0,7</b>	

# CROP CONDITION & DEVELOPMENT STAGES

## Corn Moisture Condition: as of April 25, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	45,6	42,4	12,0	-	-
II	NEA	49,8	37,5	12,7	-	-
III	Ctro N Cba	49,7	38,5	11,8	-	-
IV	S Cba	32,6	51,4	15,2	0,8	-
V	Ctro N SFe	1,5	56,7	35,5	6,3	-
VI	Núcleo Norte	6,2	58,6	33,0	2,2	-
VII	Núcleo Sur	1,1	38,8	49,9	10,2	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	37,8	49,5	12,7	-	-
X	Ctro Bs As	15,4	55,6	23,2	5,8	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	13,3	58,6	23,7	4,4	-
XIII	San Luis	32,5	45,3	20,9	1,3	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>34,9</b>	<b>45,8</b>	<b>17,7</b>	<b>1,7</b>	<b>-</b>

## Corn Grain Growth: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	98,0	64,1	79,9	85,0
II	NEA	87,5	65,1	81,3	82,5
III	Ctro N Cba	100,0	100,0	100,0	93,3
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	98,6	85,8	89,7	91,6
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>98,4</b>	<b>93,0</b>	<b>96,1</b>	<b>95,8</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Corn Mature: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	42,9	15,3	28,4	32,0
II	NEA	35,3	13,7	30,1	34,0
III	Ctro N Cba	56,1	49,7	64,6	47,5
IV	S Cba	74,2	54,0	72,2	73,5
V	Ctro N SFe	40,5	41,7	47,7	48,5
VI	Núcleo Norte	91,7	90,2	91,8	88,4
VII	Núcleo Sur	94,3	88,7	92,7	89,4
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	73,4	75,6	80,3	78,8
X	Ctro Bs As	78,8	66,7	77,4	81,1
XI	SO BA-S LP	-	-	-	-
XII	SE BA	82,8	71,3	78,2	79,7
XIII	San Luis	55,4	59,3	64,1	61,5
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>67,5</b>	<b>57,4</b>	<b>67,7</b>	<b>66,3</b>

## Corn Harvested: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	-	-	-	0,4
II	NEA	-	-	-	4,3
III	Ctro N Cba	13,5	17,2	18,6	12,8
IV	S Cba	21,0	23,6	25,8	20,7
V	Ctro N SFe	30,0	40,9	40,3	38,6
VI	Núcleo Norte	74,8	84,2	84,7	66,7
VII	Núcleo Sur	68,0	70,4	74,6	59,8
VIII	Ctro E ER	65,0	64,0	63,6	66,4
IX	N LP-OBA	18,0	32,5	35,5	23,7
X	Ctro Bs As	22,5	15,2	16,4	25,8
XI	SO BA-S LP	6,5	18,0	20,8	13,4
XII	SE BA	12,0	16,2	17,8	7,8
XIII	San Luis	14,0	16,4	17,5	12,2
XIV	Cuenca Sal	36,0	20,0	21,5	37,3
XV	Others	40,0	40,0	35,7	37,0
<b>National</b>		<b>25,8</b>	<b>29,5</b>	<b>30,9</b>	<b>27,2</b>

# CROP CONDITION & DEVELOPMENT STAGES

## First Soybean

### First Soybean Condition: as of April 25, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	18,6	33,3	37,0	11,1	-
II	NEA	52,0	26,7	16,7	4,6	-
III	Ctro N Cba	47,0	31,0	19,0	3,0	-
IV	S Cba	60,0	25,0	15,0	-	-
V	Ctro N SFe	63,0	23,3	13,7	-	-
VI	Núcleo Norte	23,7	35,0	16,7	24,6	-
VII	Núcleo Sur	29,0	31,0	29,0	11,0	-
VIII	Ctro E ER	91,0	9,0	-	-	-
IX	N LP-OBA	27,0	48,0	25,0	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	32,0	35,0	21,0	12,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	25,0	53,9	21,1	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>42,8</b>	<b>31,8</b>	<b>20,3</b>	<b>5,1</b>	<b>-</b>

### First Soybean Moisture Condition: as of April 25, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	27,0	44,4	28,6	-	-
II	NEA	39,0	43,0	18,0	-	-
III	Ctro N Cba	55,0	33,0	12,0	-	-
IV	S Cba	19,0	55,0	26,0	-	-
V	Ctro N SFe	5,0	53,0	42,0	-	-
VI	Núcleo Norte	-	58,0	42,0	-	-
VII	Núcleo Sur	-	12,0	71,3	16,7	-
VIII	Ctro E ER	11,0	48,0	32,3	8,7	-
IX	N LP-OBA	6,0	68,0	26,0	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	68,0	22,0	10,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	31,0	40,4	28,6	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>14,7</b>	<b>50,9</b>	<b>30,5</b>	<b>3,8</b>	<b>-</b>

# CROP CONDITION & DEVELOPMENT STAGES

## First Soybean Beginning Seed: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	100,0	95,0	100,0	100,0
II	NEA	100,0	96,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	76,0	63,0	74,0	79,0
XV	Others	-	-	-	-
<b>National</b>		<b>100,0</b>	<b>99,5</b>	<b>100,0</b>	<b>100,0</b>

## First Soybean Mature: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	66,0	54,0	68,0	70,0
II	NEA	51,0	36,0	50,0	53,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	90,0	100,0	100,0
IX	N LP-OBA	100,0	95,0	100,0	100,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	85,0	78,0	90,0	91,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	36,0	23,0	37,0	40,0
XV	Others	-	-	-	-
<b>National</b>		<b>92,9</b>	<b>90,0</b>	<b>94,1</b>	<b>93,7</b>

# CROP CONDITION & DEVELOPMENT STAGES

## First Soybean Harvested: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	5,0	6,0	25,0	10,4
II	NEA	8,5	6,0	23,0	11,0
III	Ctro N Cba	55,0	87,0	91,0	57,8
IV	S Cba	18,0	60,0	88,0	51,1
V	Ctro N SFe	40,0	27,5	55,0	46,1
VI	Núcleo Norte	75,0	91,0	95,0	79,1
VII	Núcleo Sur	60,0	60,5	81,0	68,6
VIII	Ctro E ER	40,0	39,0	62,0	44,4
IX	N LP-OBA	36,0	34,0	48,5	45,3
X	Ctro Bs As	30,0	17,5	25,0	40,3
XI	SO BA-S LP	20,0	3,0	30,0	26,8
XII	SE BA	9,0	10,1	12,0	22,4
XIII	San Luis	25,0	19,0	30,0	32,0
XIV	Cuenca Sal	5,0	-	-	1,4
XV	Others	30,0	8,0	50,0	24,4
<b>National</b>		<b>40,5</b>	<b>50,1</b>	<b>65,5</b>	<b>50,2</b>

## Second Soybean

### Second Soybean Condition: as of April 25, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	25,0	53,9	21,1	-	-
II	NEA	57,0	34,0	9,0	-	-
III	Ctro N Cba	85,8	14,2	-	-	-
IV	S Cba	68,7	20,2	11,1	-	-
V	Ctro N SFe	74,0	19,0	7,0	-	-
VI	Núcleo Norte	90,9	9,1	-	-	-
VII	Núcleo Sur	67,7	17,0	10,3	5,0	-
VIII	Ctro E ER	93,0	7,0	-	-	-
IX	N LP-OBA	49,0	42,0	9,0	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	43,0	25,9	20,0	11,1	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>64,1</b>	<b>22,7</b>	<b>10,9</b>	<b>2,3</b>	<b>-</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Second Soybean Moisture Condition: as of April 25, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	31,0	40,4	28,6	-	-
II	NEA	51,0	33,0	16,0	-	-
III	Ctro N Cba	40,2	48,7	11,1	-	-
IV	S Cba	28,0	61,0	11,0	-	-
V	Ctro N SFe	5,2	57,0	37,8	-	-
VI	Núcleo Norte	-	63,6	36,4	-	-
VII	Núcleo Sur	-	8,3	75,0	16,7	-
VIII	Ctro E ER	9,0	33,5	50,0	7,5	-
IX	N LP-OBA	6,0	76,0	18,0	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	62,5	25,0	12,5	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>15,5</b>	<b>47,9</b>	<b>31,6</b>	<b>4,9</b>	<b>-</b>

## Second Soybean Beginning Pod: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	100,0	95,0	100,0	100,0
II	NEA	100,0	95,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	95,0	100,0	100,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>100,0</b>	<b>98,6</b>	<b>100,0</b>	<b>100,0</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Second Soybean Beginning Seed: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	76,0	63,0	74,0	79,0
II	NEA	79,0	59,0	73,0	80,0
III	Ctro N Cba	100,0	96,0	100,0	100,0
IV	S Cba	100,0	90,0	100,0	100,0
V	Ctro N SFe	92,0	80,0	92,0	95,0
VI	Núcleo Norte	100,0	98,0	100,0	100,0
VII	Núcleo Sur	100,0	90,0	100,0	100,0
VIII	Ctro E ER	95,0	84,0	96,0	98,0
IX	N LP-OBA	96,0	93,0	100,0	100,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	82,0	68,0	79,0	87,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>93,5</b>	<b>81,9</b>	<b>91,0</b>	<b>94,0</b>

## Second Soybean Mature: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	36,0	23,0	37,0	40,0
II	NEA	37,0	26,0	36,0	40,0
III	Ctro N Cba	65,0	56,0	66,0	72,0
IV	S Cba	57,0	46,0	73,0	60,0
V	Ctro N SFe	56,0	36,0	56,0	62,0
VI	Núcleo Norte	70,0	64,0	86,0	73,0
VII	Núcleo Sur	59,0	45,0	60,0	59,0
VIII	Ctro E ER	45,0	35,0	46,0	50,0
IX	N LP-OBA	42,0	26,0	41,0	43,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	32,0	19,0	33,0	36,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>50,8</b>	<b>37,8</b>	<b>53,4</b>	<b>51,6</b>



# CROP CONDITION & DEVELOPMENT STAGES

## Second Soybean Harvested: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	5,0	-	-	1,4
II	NEA	5,0	-	18,0	5,5
III	Ctro N Cba	15,0	25,0	30,0	26,9
IV	S Cba	-	10,0	60,0	17,0
V	Ctro N SFe	17,0	5,0	40,0	19,9
VI	Núcleo Norte	20,0	44,0	61,0	47,4
VII	Núcleo Sur	14,0	9,0	10,0	31,9
VIII	Ctro E ER	7,0	1,0	5,0	15,4
IX	N LP-OBA	-	-	15,0	8,0
X	Ctro Bs As	-	-	-	3,3
XI	SO BA-S LP	-	-	-	2,1
XII	SE BA	-	-	-	3,0
XIII	San Luis	-	-	-	1,0
XIV	Cuenca Sal	5,0	-	-	11,4
XV	Others	-	-	-	-
<b>National</b>		<b>8,2</b>	<b>-</b>	<b>22,4</b>	<b>14,7</b>

## Soybean

### Soybean Condition: as of April 25, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	21,4	42,2	30,2	6,3	-
II	NEA	53,7	29,2	14,1	3,0	-
III	Ctro N Cba	76,7	18,1	4,5	0,7	-
IV	S Cba	64,1	22,7	13,2	-	-
V	Ctro N SFe	67,0	21,7	11,2	-	-
VI	Núcleo Norte	73,7	15,7	4,3	6,3	-
VII	Núcleo Sur	49,7	23,5	19,0	7,8	-
VIII	Ctro E ER	91,7	8,3	-	-	-
IX	N LP-OBA	34,0	46,1	19,9	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	37,6	30,4	20,5	11,5	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>53,0</b>	<b>27,4</b>	<b>15,8</b>	<b>3,8</b>	<b>-</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Soybean Moisture Condition: as of April 25, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	28,7	42,7	28,6	-	-
II NEA	43,1	39,6	17,3	-	-
III Ctro N Cba	43,7	45,0	11,3	-	-
IV S Cba	23,3	57,8	18,9	-	-
V Ctro N SFe	5,1	54,5	40,5	-	-
VI Núcleo Norte	-	62,2	37,8	-	-
VII Núcleo Sur	-	10,0	73,3	16,7	-
VIII Ctro E ER	10,3	43,0	38,4	8,3	-
IX N LP-OBA	6,0	70,6	23,4	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	65,2	23,5	11,3	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
<b>National</b>	<b>15,1</b>	<b>49,5</b>	<b>31,0</b>	<b>4,4</b>	<b>-</b>

## Soybean Beginning Pod: as of April 25, 2018

Regions	April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I NOA	100,0	98,2	100,0	100,0
II NEA	100,0	98,4	100,0	100,0
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	32,0	19,0	33,0	36,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
<b>National</b>	<b>100,0</b>	<b>99,6</b>	<b>100,0</b>	<b>100,0</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Soybean Beginning Seed: as of April 25, 2018

Regions	April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I NOA	95,6	83,4	90,6	96,4
II NEA	95,3	84,0	91,3	95,8
III Ctro N Cba	100,0	98,8	100,0	100,0
IV S Cba	100,0	97,9	100,0	100,0
V Ctro N SFe	97,8	93,9	97,6	99,0
VI Núcleo Norte	100,0	99,5	100,0	100,0
VII Núcleo Sur	100,0	98,0	100,0	100,0
VIII Ctro E ER	99,3	97,2	99,3	99,8
IX N LP-OBA	99,1	98,4	100,0	100,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	92,9	84,8	90,0	94,7
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
<b>National</b>	<b>98,4</b>	<b>94,4</b>	<b>97,4</b>	<b>98,9</b>

## Soybean Mature: as of April 25, 2018

Regions	April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I NOA	60,5	42,8	56,8	64,8
II NEA	47,9	32,8	45,5	50,3
III Ctro N Cba	90,4	87,0	90,0	95,3
IV S Cba	90,9	88,5	94,3	94,9
V Ctro N SFe	87,8	80,6	86,6	92,7
VI Núcleo Norte	92,7	90,2	96,2	96,8
VII Núcleo Sur	92,3	89,2	92,2	94,7
VIII Ctro E ER	91,9	80,4	90,6	93,8
IX N LP-OBA	86,4	79,7	86,9	87,3
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	64,0	50,0	62,9	68,7
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
<b>National</b>	<b>82,2</b>	<b>74,8</b>	<b>82,3</b>	<b>85,7</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Soybean Harvested: as of April 25, 2018

Regions		April 26, 2017 %	April 18, 2018 %	April 25, 2018 %	2012/2017 Average %
I	NOA	5,0	-	15,8	8,6
II	NEA	7,7	-	21,4	9,8
III	Ctro N Cba	44,0	19,5	74,1	52,1
IV	S Cba	14,2	21,9	82,7	47,2
V	Ctro N SFe	33,6	7,1	50,7	41,2
VI	Núcleo Norte	61,6	46,1	87,1	74,5
VII	Núcleo Sur	51,4	16,6	67,4	63,7
VIII	Ctro E ER	35,1	11,1	53,9	40,7
IX	N LP-OBA	27,6	7,3	42,2	36,9
X	Ctro Bs As	17,3	3,2	13,5	29,2
XI	SO BA-S LP	8,0	-	9,4	12,6
XII	SE BA	5,4	-	6,3	13,9
XIII	San Luis	24,1	-	28,7	31,3
XIV	Cuenca Sal	15,9	-	2,6	28,4
XV	Others	18,8	-	31,1	17,9
<b>National</b>		<b>32,3</b>	<b>15,3</b>	<b>54,0</b>	<b>43,4</b>