

CROP CONDITION & DEVELOPMENT STAGES


FEBRUARY, 15
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

SATELLITE IMAGES ANALYST

María Victoria Corte
mcorte@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

Av. Corrientes 123
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through February 14, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

Sunflower

Sunflower Condition: as of February 14, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	-	-	-	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	5,0	30,0	35,0	30,0	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	26,0	42,0	30,0	8,0	-
XII SE BA	4,0	28,0	48,0	20,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	24,0	37,0	39,0	-
XV Others	-	-	-	-	-
National	11,4	33,3	39,1	18,4	-

Sunflower Moisture Condition: as of February 14, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	-	-	-	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	29,0	48,0	23,0	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	58,0	42,0	-	-	-
XII SE BA	39,0	46,0	15,0	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	15,0	55,0	30,0	-	-
XV Others	-	-	-	-	-
National	41,3	47,1	11,6	-	-

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Flowering Stage: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	90,0	100,0	100,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	100,0	88,0	100,0	100,0
XII	SE BA	100,0	89,0	100,0	100,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	100,0	88,0	100,0	100,0
XV	Others	-	-	-	-
National		100,0	93,0	100,0	100,0

Sunflower Seed Development: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	82,0	62,0	88,0	85,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	69,0	38,0	67,0	67,0
XII	SE BA	78,0	39,0	77,0	80,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	96,0	74,0	94,0	95,0
XV	Others	-	-	-	-
National		85,6	66,8	86,1	83,4

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Mature: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	55,0	19,0	40,0	54,5
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	29,0	4,0	26,0	26,9
XII	SE BA	10,0	2,0	15,0	11,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	34,0	5,0	36,0	38,3
XV	Others	-	-	-	-
National		52,1	41,3	53,8	44,5

Sunflower Harvested: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	100,0	95,0	100,0	100,0
III	Ctro N Cba	100,0	80,0	100,0	79,4
IV	S Cba	35,0	25,0	42,0	29,8
V	Ctro N SFe	100,0	73,0	100,0	95,6
VI	Núcleo Norte	55,0	40,0	60,0	43,8
VII	Núcleo Sur	40,0	20,0	50,0	28,0
VIII	Ctro E ER	25,0	15,0	35,0	24,8
IX	N LP-OBA	-	-	-	3,8
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	0,5
XV	Others	10,0	25,0	45,0	2,5
National		32,1	31,8	37,5	24,8

CROP CONDITION & DEVELOPMENT STAGES

Early Corn

Early Corn Planted: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	100,0	86,0	100,0	100,0
II	NEA	100,0	81,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	100,0	100,0	100,0	100,0
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	100,0	100,0	100,0	100,0
XV	Others	100,0	100,0	100,0	100,0
National		100,0	94,3	100,0	100,0

Early Corn Condition: as of February 14, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	10,0	30,0	60,0	-
II	NEA	-	3,0	45,5	51,5	-
III	Ctro N Cba	35,0	40,3	21,7	3,0	-
IV	S Cba	40,0	30,0	22,5	7,5	-
V	Ctro N SFe	82,0	12,0	6,0	-	-
VI	Núcleo Norte	30,0	30,0	30,0	10,0	-
VII	Núcleo Sur	20,0	26,7	33,3	20,0	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	37,5	32,5	30,0	-	-
X	Ctro Bs As	30,0	30,0	35,0	5,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	20,0	55,0	17,0	8,0	-
XIII	San Luis	10,0	50,0	25,0	15,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		25,2	26,5	28,8	19,6	-

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Moisture Condition: as of February 14, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	12,0	59,0	29,0	-
II NEA	-	7,5	60,0	32,5	-
III Ctro N Cba	20,0	70,0	10,0	-	-
IV S Cba	33,3	61,7	5,0	-	-
V Ctro N SFe	60,0	38,0	2,0	-	-
VI Núcleo Norte	15,0	66,2	18,8	-	-
VII Núcleo Sur	53,3	41,7	5,0	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	33,3	52,5	14,2	-	-
X Ctro Bs As	50,0	50,0	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	75,0	20,0	5,0	-	-
XIII San Luis	40,0	50,0	10,0	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	29,0	42,2	21,5	7,2	-

Early Corn Leaf Development: as of February 14, 2018

Regions	February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I NOA	96,0	53,2	91,0	95,0
II NEA	97,0	64,0	92,5	97,0
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	100,0	100,0	100,0	100,0
XI SO BA-S LP	-	-	-	-
XII SE BA	100,0	100,0	100,0	100,0
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	95,6	86,6	97,3	100,5

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Pollination: as of February 14, 2018

Regions	February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I NOA	40,0	1,5	10,0	63,6
II NEA	33,3	2,3	12,0	52,0
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	100,0	100,0	100,0	100,0
XI SO BA-S LP	-	-	-	-
XII SE BA	100,0	91,0	100,0	100,0
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	84,4	66,8	70,4	94,8

Early Corn Silking: as of February 14, 2018

Regions	February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I NOA	25,0	-	2,0	30,0
II NEA	22,2	-	3,3	31,7
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	100,0	90,5	100,0	100,0
XI SO BA-S LP	-	-	-	-
XII SE BA	100,0	65,0	99,0	98,0
XIII San Luis	100,0	92,0	100,0	100,0
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	82,1	63,6	67,5	91,0

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Grain Growth: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	88,9	63,6	88,0	86,1
IV	S Cba	92,5	64,0	93,0	96,3
V	Ctro N SFe	100,0	90,0	100,0	100,0
VI	Núcleo Norte	100,0	83,0	100,0	100,0
VII	Núcleo Sur	100,0	70,0	100,0	98,3
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	90,0	50,0	92,0	83,8
X	Ctro Bs As	77,5	40,0	68,0	70,8
XI	SO BA-S LP	-	-	-	-
XII	SE BA	33,3	5,0	30,0	22,5
XIII	San Luis	51,0	20,0	70,0	66,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		67,0	40,5	58,0	73,6

Early Corn Mature: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	33,3	9,1	20,0	29,0
IV	S Cba	25,0	10,0	18,0	22,1
V	Ctro N SFe	82,0	45,0	77,8	71,0
VI	Núcleo Norte	62,5	16,7	57,1	50,9
VII	Núcleo Sur	40,0	3,0	33,3	39,2
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	30,0	-	11,1	26,0
X	Ctro Bs As	15,0	-	5,0	8,1
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		28,1	6,2	20,7	27,7

CROP CONDITION & DEVELOPMENT STAGES

Late Corn

Late Corn Planted: as of February 14, 2018

Regions	February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	95,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	100,0	100,0	100,0	100,0
XI SO BA-S LP	100,0	100,0	100,0	100,0
XII SE BA	100,0	100,0	100,0	100,0
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	100,0	100,0	100,0	100,0
XV Others	100,0	85,0	100,0	100,0
National	100,0	99,6	100,0	100,0

Late Corn Condition: as of February 14, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	25,0	33,3	33,3	8,4	-
IV S Cba	20,0	35,0	27,0	18,0	-
V Ctro N SFe	36,4	45,5	9,1	9,0	-
VI Núcleo Norte	12,5	62,5	25,0	-	-
VII Núcleo Sur	13,3	46,7	25,0	15,0	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	23,0	40,0	30,0	7,0	-
X Ctro Bs As	20,0	70,0	10,0	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	55,0	30,0	15,0	-	-
XIII San Luis	12,0	45,0	43,0	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	23,4	40,4	27,4	8,9	-

CROP CONDITION & DEVELOPMENT STAGES

Late Corn Moisture Condition: as of February 14, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	22,2	66,7	11,1	-	-
IV S Cba	15,4	61,5	23,1	-	-
V Ctro N SFe	54,6	45,4	-	-	-
VI Núcleo Norte	20,0	73,7	6,3	-	-
VII Núcleo Sur	53,3	46,7	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	12,0	54,6	33,4	-	-
X Ctro Bs As	75,0	25,0	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	60,0	35,0	5,0	-	-
XIII San Luis	55,0	30,0	15,0	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	31,6	54,7	13,7	-	-

Late Corn Leaf Development: as of February 14, 2018

Regions	February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	100,0	90,0	100,0	100,0
IV S Cba	100,0	98,0	100,0	100,0
V Ctro N SFe	100,0	80,0	99,0	95,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	98,0	100,0	100,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	100,0	96,0	100,0	100,0
X Ctro Bs As	100,0	98,0	100,0	100,0
XI SO BA-S LP	-	-	-	-
XII SE BA	100,0	100,0	100,0	100,0
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	85,5	94,4	99,7	79,6

CROP CONDITION & DEVELOPMENT STAGES

Late Corn Pollination: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	60,0	18,2	33,3	49,6
IV	S Cba	77,8	30,0	60,0	73,0
V	Ctro N SFe	35,0	-	14,3	32,0
VI	Núcleo Norte	55,0	27,3	42,0	52,8
VII	Núcleo Sur	75,0	23,2	58,0	70,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	98,0	25,2	61,0	88,3
X	Ctro Bs As	90,0	22,2	55,0	87,4
XI	SO BA-S LP	-	-	-	-
XII	SE BA	62,5	7,0	55,0	53,0
XIII	San Luis	75,0	18,0	49,0	63,3
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		61,1	22,0	47,6	50,5

Late Corn Silking: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	38,0	-	15,0	27,3
IV	S Cba	35,0	9,0	30,0	39,9
V	Ctro N SFe	20,0	-	6,5	35,0
VI	Núcleo Norte	27,5	3,0	22,2	30,2
VII	Núcleo Sur	48,0	9,1	33,3	50,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	50,0	8,0	35,0	54,4
X	Ctro Bs As	47,0	5,0	32,0	50,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	33,3	-	35,0	32,0
XIII	San Luis	41,0	3,5	27,5	35,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		33,2	4,4	25,3	30,1

CROP CONDITION & DEVELOPMENT STAGES

Corn

Corn Planted: as of February 14, 2018

Regions	February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I NOA	100,0	86,0	100,0	100,0
II NEA	100,0	81,0	100,0	100,0
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	96,8	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	100,0	100,0	100,0	100,0
XI SO BA-S LP	100,0	100,0	100,0	100,0
XII SE BA	100,0	100,0	100,0	100,0
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	100,0	100,0	100,0	100,0
XV Others	100,0	91,0	100,0	100,0
National	100,0	96,7	100,0	100,0

Corn Condition: as of February 14, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	10,0	30,0	60,0	-
II NEA	-	3,0	45,5	51,5	-
III Ctro N Cba	26,5	34,4	31,6	7,6	-
IV S Cba	24,0	34,0	26,1	15,9	-
V Ctro N SFe	53,4	33,0	7,9	5,7	-
VI Núcleo Norte	27,4	34,9	29,3	8,5	-
VII Núcleo Sur	18,7	30,7	31,6	19,0	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	30,3	36,3	30,0	3,5	-
X Ctro Bs As	24,0	54,0	20,0	2,0	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	34,0	45,0	16,2	4,8	-
XIII San Luis	11,6	46,0	39,4	3,0	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	24,3	33,3	28,1	14,3	-

CROP CONDITION & DEVELOPMENT STAGES

Corn Moisture Condition: as of February 14, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	12,0	59,0	29,0	-
II	NEA	-	7,5	60,0	32,5	-
III	Ctro N Cba	21,9	70,0	8,1	-	-
IV	S Cba	26,7	68,3	5,0	-	-
V	Ctro N SFe	53,7	44,3	2,0	-	-
VI	Núcleo Norte	15,8	67,3	16,9	-	-
VII	Núcleo Sur	53,3	42,7	4,0	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	22,7	53,6	23,8	-	-
X	Ctro Bs As	65,0	35,0	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	69,0	26,0	5,0	-	-
XIII	San Luis	52,0	34,0	14,0	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		31,3	49,7	15,3	3,7	-

Corn Leaf Development: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	96,0	53,2	91,0	95,0
II	NEA	97,0	64,0	92,5	97,0
III	Ctro N Cba	99,4	91,5	100,0	100,0
IV	S Cba	98,6	98,4	100,0	100,0
V	Ctro N SFe	97,7	87,0	99,4	97,0
VI	Núcleo Norte	95,2	100,0	100,0	100,0
VII	Núcleo Sur	96,0	99,6	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	98,0	100,0	100,0
X	Ctro Bs As	98,6	98,8	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	96,8	100,0	100,0	100,0
XIII	San Luis	99,4	100,0	100,0	99,8
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		97,7	90,3	98,5	99,2

CROP CONDITION & DEVELOPMENT STAGES

Corn Pollination: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	40,0	1,5	10,0	63,6
II	NEA	33,3	2,3	12,0	52,0
III	Ctro N Cba	65,4	30,5	43,3	56,7
IV	S Cba	83,1	44,0	68,0	80,9
V	Ctro N SFe	52,2	35,0	44,3	59,0
VI	Núcleo Norte	88,5	89,1	91,3	90,4
VII	Núcleo Sur	92,3	84,6	91,6	93,6
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	98,8	62,6	80,5	94,0
X	Ctro Bs As	93,6	53,3	73,0	95,2
XI	SO BA-S LP	-	-	-	-
XII	SE BA	89,3	57,4	82,0	92,2
XIII	San Luis	79,4	34,4	59,2	73,4
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		74,3	46,2	59,9	77,0

Corn Silking: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	25,0	-	2,0	30,0
II	NEA	22,2	-	3,3	31,7
III	Ctro N Cba	46,7	15,0	27,8	37,5
IV	S Cba	53,1	27,2	44,0	57,5
V	Ctro N SFe	41,7	35,0	39,2	60,8
VI	Núcleo Norte	84,4	85,5	88,3	85,8
VII	Núcleo Sur	88,2	81,8	86,7	89,4
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	70,0	54,0	67,5	76,6
X	Ctro Bs As	72,1	39,2	59,2	80,7
XI	SO BA-S LP	-	-	-	-
XII	SE BA	83,5	39,0	73,4	87,0
XIII	San Luis	52,2	21,2	42,0	53,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		57,8	36,4	48,1	61,8

CROP CONDITION & DEVELOPMENT STAGES

Corn Grain Growth: as of February 14, 2018

Regions	February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	12,8	9,5	13,2	12,1
IV S Cba	26,5	12,8	18,6	28,2
V Ctro N SFe	27,7	31,5	35,0	39,6
VI Núcleo Norte	80,2	70,6	85,0	79,6
VII Núcleo Sur	81,0	56,0	80,0	77,4
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	36,0	25,0	46,0	40,8
X Ctro Bs As	37,6	16,0	27,2	43,6
XI SO BA-S LP	-	-	-	-
XII SE BA	25,6	3,0	18,0	18,8
XIII San Luis	9,9	4,0	14,0	18,3
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	31,6	21,9	31,4	34,5

Corn Mature: as of February 14, 2018

Regions	February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	4,8	1,4	3,0	4,1
IV S Cba	7,2	2,0	3,6	6,5
V Ctro N SFe	22,7	15,8	27,2	28,1
VI Núcleo Norte	50,2	14,2	48,5	40,5
VII Núcleo Sur	32,4	2,4	26,6	30,9
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	12,0	-	5,6	12,6
X Ctro Bs As	7,3	-	2,0	5,0
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	13,3	3,4	11,2	13,0

CROP CONDITION & DEVELOPMENT STAGES

First Soybean

First Soybean Condition: as of February 14, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	5,0	65,0	30,0	-
II	NEA	-	-	55,0	45,0	-
III	Ctro N Cba	10,0	30,0	45,0	15,0	-
IV	S Cba	10,0	20,0	40,0	30,0	-
V	Ctro N SFe	30,0	55,0	15,0	-	-
VI	Núcleo Norte	2,0	48,0	43,0	7,0	-
VII	Núcleo Sur	17,0	50,0	23,0	10,0	-
VIII	Ctro E ER	31,8	58,2	10,0	-	-
IX	N LP-OBA	25,0	45,0	30,0	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	15,0	50,0	35,0	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		14,3	38,9	34,8	12,0	-

First Soybean Moisture Condition: as of February 14, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	20,0	55,0	25,0	-
II	NEA	-	9,0	71,0	20,0	-
III	Ctro N Cba	10,0	65,0	25,0	-	-
IV	S Cba	16,0	60,0	24,0	-	-
V	Ctro N SFe	45,0	55,0	-	-	-
VI	Núcleo Norte	10,0	65,0	25,0	-	-
VII	Núcleo Sur	23,0	65,0	12,0	-	-
VIII	Ctro E ER	70,9	29,1	-	-	-
IX	N LP-OBA	10,0	54,6	35,4	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	25,0	66,0	9,0	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		20,4	53,1	23,8	2,7	-

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Leaf Development: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	95,0	57,0	79,0	95,0
II	NEA	97,0	67,0	86,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		99,5	95,5	97,9	99,7

First Soybean Beginning Bloom: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	61,0	21,0	38,0	50,0
II	NEA	50,0	17,0	40,0	67,0
III	Ctro N Cba	100,0	97,0	100,0	100,0
IV	S Cba	100,0	98,0	100,0	100,0
V	Ctro N SFe	100,0	90,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	96,0	100,0	100,0
IX	N LP-OBA	100,0	90,0	100,0	100,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	80,0	63,0	85,0	100,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		91,5	84,6	91,7	40,0

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Beginning Pod: as of February 14, 2018

Regions	February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I NOA	19,0	-	5,0	21,0
II NEA	16,0	-	5,0	16,0
III Ctro N Cba	82,0	50,0	76,0	82,0
IV S Cba	80,0	65,0	84,0	90,0
V Ctro N SFe	82,0	53,0	76,0	84,3
VI Núcleo Norte	82,0	68,0	89,0	98,2
VII Núcleo Sur	71,0	50,0	72,0	100,0
VIII Ctro E ER	61,0	40,0	66,0	74,0
IX N LP-OBA	70,0	45,0	70,0	89,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	35,0	15,0	35,0	47,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	64,5	44,4	65,0	78,1

First Soybean Beginning Seed: as of February 14, 2018

Regions	February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	46,0	18,0	40,0	53,0
IV S Cba	36,0	10,0	34,0	47,0
V Ctro N SFe	43,0	19,0	38,0	53,0
VI Núcleo Norte	47,0	23,0	50,0	50,0
VII Núcleo Sur	35,0	8,0	40,0	36,0
VIII Ctro E ER	10,0	-	10,0	15,0
IX N LP-OBA	19,0	-	25,0	27,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	8,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	26,6	9,1	28,4	33,1

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean

Second Soybean Condition: as of February 14, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	10,0	75,0	15,0	-
II	NEA	-	10,0	58,0	32,0	-
III	Ctro N Cba	20,0	25,0	33,0	22,0	-
IV	S Cba	10,0	20,0	40,7	29,3	-
V	Ctro N SFe	43,0	57,0	-	-	-
VI	Núcleo Norte	15,0	56,3	28,7	-	-
VII	Núcleo Sur	45,0	35,0	20,0	-	-
VIII	Ctro E ER	45,0	55,0	-	-	-
IX	N LP-OBA	40,0	40,0	20,0	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	40,0	33,0	27,0	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		28,7	34,4	28,4	8,5	-

Second Soybean Moisture Condition: as of February 14, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	15,0	70,0	15,0	-
II	NEA	-	15,0	57,0	28,0	-
III	Ctro N Cba	15,0	66,0	19,0	-	-
IV	S Cba	16,7	58,3	25,0	-	-
V	Ctro N SFe	55,0	45,0	-	-	-
VI	Núcleo Norte	20,0	67,5	12,5	-	-
VII	Núcleo Sur	42,0	58,0	-	-	-
VIII	Ctro E ER	85,0	15,0	-	-	-
IX	N LP-OBA	15,0	55,0	30,0	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	38,0	52,0	10,0	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		28,2	49,1	19,4	3,4	-

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Leaf Development: as of February 14, 2018

Regions	February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I NOA	71,0	47,0	65,0	70,0
II NEA	81,0	50,0	68,0	80,0
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	96,0	100,0	100,0
V Ctro N SFe	100,0	97,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	97,0	100,0	100,0
VIII Ctro E ER	100,0	95,0	100,0	100,0
IX N LP-OBA	100,0	96,0	100,0	100,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	93,0	69,0	90,0	100,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	96,5	83,3	91,3	96,8

Second Soybean Beginning Bloom: as of February 14, 2018

Regions	February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I NOA	19,0	-	5,0	20,0
II NEA	20,0	-	18,0	21,9
III Ctro N Cba	40,0	19,0	40,0	51,0
IV S Cba	45,0	20,0	45,0	53,0
V Ctro N SFe	39,0	13,0	30,0	48,0
VI Núcleo Norte	64,0	40,0	69,0	80,0
VII Núcleo Sur	56,0	30,0	55,0	62,0
VIII Ctro E ER	39,0	14,0	34,0	37,1
IX N LP-OBA	38,0	10,0	30,0	45,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	19,0	-	18,0	23,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	39,3	14,7	34,7	43,8

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Beginning Pod: as of February 14, 2018

Regions	February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I NOA	-	-	-	5,0
II NEA	-	-	-	-
III Ctro N Cba	-	-	-	4,8
IV S Cba	5,0	-	5,0	12,0
V Ctro N SFe	-	-	-	4,0
VI Núcleo Norte	-	-	-	22,7
VII Núcleo Sur	5,0	-	3,0	10,7
VIII Ctro E ER	-	-	-	5,0
IX N LP-OBA	-	-	-	6,7
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	0,8	-	0,6	6,6

Soybean

Soybean Condition: as of February 14, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	6,8	68,6	24,6	-
II NEA	-	3,2	56,0	40,8	-
III Ctro N Cba	13,0	28,5	41,5	17,1	-
IV S Cba	10,0	20,0	40,1	29,9	-
V Ctro N SFe	33,9	55,6	10,4	-	-
VI Núcleo Norte	5,5	50,2	39,1	5,1	-
VII Núcleo Sur	22,5	47,1	22,4	8,0	-
VIII Ctro E ER	34,1	57,6	8,3	-	-
IX N LP-OBA	28,3	43,9	27,8	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	26,6	42,1	31,3	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	18,4	37,6	33,0	11,0	-

CROP CONDITION & DEVELOPMENT STAGES

Soybean Moisture Condition: as of February 14, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	18,2	60,4	21,4	-
II	NEA	-	10,9	66,5	22,6	-
III	Ctro N Cba	11,5	65,3	23,2	-	-
IV	S Cba	16,1	59,6	24,2	-	-
V	Ctro N SFe	48,0	52,0	-	-	-
VI	Núcleo Norte	12,7	65,7	21,6	-	-
VII	Núcleo Sur	26,7	63,6	9,7	-	-
VIII	Ctro E ER	73,4	26,6	-	-	-
IX	N LP-OBA	11,1	54,7	34,2	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	31,0	59,5	9,5	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		22,6	51,9	22,6	2,9	-

Soybean Leaf Development: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	86,3	53,4	73,9	90,7
II	NEA	91,8	61,5	80,2	95,8
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	99,1	100,0	100,0
V	Ctro N SFe	100,0	99,1	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	99,4	100,0	100,0
VIII	Ctro E ER	100,0	99,1	100,0	100,0
IX	N LP-OBA	100,0	99,1	100,0	100,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	96,7	85,6	95,3	100,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		98,4	92,0	96,0	99,2

CROP CONDITION & DEVELOPMENT STAGES

Soybean Beginning Bloom: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	45,8	13,4	26,1	44,8
II	NEA	40,3	11,5	32,9	57,5
III	Ctro N Cba	82,3	74,0	82,3	91,7
IV	S Cba	88,3	81,4	88,3	94,0
V	Ctro N SFe	81,5	66,6	78,7	90,1
VI	Núcleo Norte	90,2	83,7	91,6	97,6
VII	Núcleo Sur	91,4	86,3	91,2	95,1
VIII	Ctro E ER	89,4	81,7	88,5	92,2
IX	N LP-OBA	86,2	72,2	84,4	87,8
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	51,6	33,7	53,8	68,7
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		76,1	64,3	75,1	85,0

Soybean Beginning Pod: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	12,1	-	3,2	15,2
II	NEA	10,8	-	3,4	10,8
III	Ctro N Cba	57,8	35,2	53,6	59,2
IV	S Cba	64,0	51,2	67,2	73,4
V	Ctro N SFe	57,1	36,9	52,9	59,9
VI	Núcleo Norte	59,8	49,6	64,9	77,7
VII	Núcleo Sur	58,1	40,2	58,5	82,5
VIII	Ctro E ER	50,4	33,0	54,5	62,0
IX	N LP-OBA	54,4	35,0	54,4	70,7
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	18,7	8,0	18,7	25,1
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		46,4	31,5	46,3	56,7

CROP CONDITION & DEVELOPMENT STAGES

Soybean Beginning Seed: as of February 14, 2018

Regions		February 15, 2017 %	January 31, 2018 %	February 14, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	32,4	12,7	28,2	37,4
IV	S Cba	28,3	7,9	26,8	37,0
V	Ctro N SFe	29,9	13,2	26,5	36,9
VI	Núcleo Norte	34,3	16,8	36,5	36,5
VII	Núcleo Sur	28,2	6,4	32,2	29,0
VIII	Ctro E ER	8,3	-	8,3	12,4
IX	N LP-OBA	14,8	-	19,4	21,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	4,3
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		19,3	6,5	20,1	23,0